

**CATALOGUE OF THE DESCRIBED SPECIES OF
SOUTH AMERICAN ASILIDÆ.**

BY S. W. WILLISTON.

The following preliminary catalogue of the described species of South American Asilidæ is offered in the hope that it may lighten the labors of students of the South American Dipterous fauna. It was originally prepared, two years ago, as a preliminary to the study of a Brazilian collection in this family, and has been recently subjected to a careful revision. It will be strange if, among so many references, some errors, both of omission and commission, are not found. I can only say in extenuation of such, that the entire paper has been repeatedly written and the references as often compared. Sehiner's list of specific names of the Asilidae of the world, which seems to be very complete to 1860, has been of material service, as also Lynch's partial catalogue. The distribution of the genera is chiefly that of Sehiner; some few changes have been made in accordance with Lynch's, Osten Sacken's, or my own views. A very few of the less important works have been inaccessible to me, and it is in them that additional references may be found. The references thus taken at second hand will be found preceded by an asterisk. No references later than 1889 are included.

I.—DASYPOGONINÆ.**DASYPOGON.***Sensu latissimo.*

- aberrans Wiedemann, Dipt. Exot. i, 223; Auss. Zw. Ins. i, 389.—South America.
aurarius Wiedemann, Dipt. Exot. i, 229; Auss. Zw. Ins. i, 410.—Brazil.
caiennensis Fabricius, Mant. Ins. ii, 360 (*Asilus*); Ent. Syst. iv, 386 (id.); Syst. Antl. 162 (*Laphria*); Wiedemann, Dipt. Exot. i, 220; Auss. Ins. i, 383.—Cayenne.
coriaceus Wiedemann, Dipt. Exot. i, 230; Auss. Zw. Ins. i, 411.—Brazil. [*Holcocephala?*]
hirtuosus Wiedemann, Dipt. Exot. i, 227; Auss. Zw. Ins. i, 402.—Brazil.
*leptogaster Perty, Delectus, etc., 130, pl. xxxvi, fig. 2 (*Laphria*); Walker, List, vi, 504.—Bahia.
mundatus Wiedemann, Auss. Zw. Ins. i, 569.—Brazil.
reticulatus Fabricius, Syst. Antl. i, 160 (*Laphria*); Wiedemann, Dipt. Exot. i, 212; Auss. Zw. Ins. i, 378.—South America.

splendens Philippi, Verh. zool.-bot. Gesellsch. xv, 690.—Chili.
testaceus Fabricius, Syst. Antl. i, 167; Wiedemann, Dipt. Exot. i, 222; Auss. Zw. Ins. i, 386; Schiner, Verh. zool.-bot. Gesellsch. xvi, 677.—South America. [*Plesiomma?* Schiner.]

A.—*Tibiæ anticæ non calcaratæ.*

DASYPOGON.

Sensu latiori.

atratus Philippi, Verh. zool.-bot. Gesellsch. xv, 687.—Chili.
carbonarius Philippi, Verh. zool.-bot. Gesellsch. xv, 687.—Chili.
chilensis Macquart, Dipt. Exot. i, 2, 46; Blanchard, Gay's Hist. fis. y pol. de Chile, vii, 365.—Chili.
dorsalis Macquart, Dipt. Exot. Suppl. iii, 20, pl. i, fig. 12.—Rio Negro.
fasciatus Macquart, Hist. Nat. Dipt. i, 295.—Cayenne.
fenestrata Macquart, Dipt. Exot. i, 2, 58 (*Senobasis*).—Brazil.
fuscipennis Macquart, Hist. Nat. Dipt. i, 294.—Cayenne.
insertus Walker, Dipt. Saund. 94.—Para.
latus Philippi, Verh. zool.-bot. Gesellsch. xv, 686.—Chili.
lugens Philippi, Verh. zool.-bot. Gesellsch. xv, 689.—Chili.
micans Philippi, Verh. zool.-bot. Gesellsch. xv, 690.—Chili.
Phalna Walker, List, etc., ii, 331; vi, 486.—Para.
punctipennis Macquart, Dipt. Exot. i, 2, 46; Blanchard, Gay's Hist. fis. y pol. de Chile, vii, 365.—Chili.
rubiginnipennis Macquart, Dipt. Exot. i, 2, 45.—Brazil.
rufipes Philippi, Verh. zool.-bot. Gesellsch. xv, 691.—Chili.
sericeus Philippi, Verh. zool.-bot. Gesellsch. xv, 691.—Chili.
tripartitus Walker, List, etc., vi, 437.—Brazil.
venustus Philippi, Verh. zool.-bot. Gesellsch. xv, 689.—Chili.

LEPTOGASTER.

Meigen, Illiger's Magaz. 1803; *Gonypes* Latreille, Hist. Nat. Crust. etc., 1804.
Audouinii Macquart, Dipt. Exot. i, 2, 155 (*Gonypes*); Schiner, Verh. zool.-bot. Gesellsch. xvii, 357.—Brazil. [Schiner].
annulipes Walker, List, etc., vii, 772.—Para.
basalis Walker, List, etc., vii, 770.—Amazon.
bicolor Macquart, Dipt. Exot. 3 Suppl. 31, pl. iii, fig. 6 (*Gonypes*).—Rio Negro.
**breviventris* Rondani, Studi Entom. (*Gonypes*).—Brazil.
cingulipes Walker, Trans. Entom. Soc. iv, 130.—Amazon.
**clavistylus* Rondani, Studi Entom. (*Gonypes*).—Brazil.
distincta Schiner, Verh. zool.-bot. Gesellsch. xvii, 357.—Brazil.
ferruginea Walker, List, etc., vii, 771.—Para.
gracillima Walker, List, etc., vii, 771.—Para.
Kamerlocheri Schiner, Verh. zool.-bot. Gesellsch. xvii, 350.—Brazil.
multicincta Walker, Dipt. Saund. 155.—South America.
nigra Wiedemann, Auss. Zw. Ins. i, 533; Schiner, Verh. zool.-bot. Gesellsch. xvi, 694, xvii, 356.—Brazil.
nubeculosa Bigot, Ann. Soc. Ent. France 1878, 445.—Colombia.

rubida Wiedemann, Dipt. Exot. i, 242; Auss. Zw. Ins. i, 533; Schiner, Verh. zool.-bot. Gesellsch. xvi, 694.—South America.

***tenuipes** Loew (Schiner).

***varipes** Loew (Schiner).

vitripennis Schiner, Verh. zool.-bot. Gesellsch. xvii, 358.—Brazil.

LASIOCNEMIS.

Loew, Bemerk. ueber d. Fam. Asil. 1851.

calceolatus Bigot, Ann. Soc. Ent. Fr. 1878, 430.—Amazon.

EUSCELIDEA.

Westwood, Trans. Ent. Soc. London, 1850.

fascipennis Schiner, Verh. zool.-bot. Gesellsch. xvii, 359.—Brazil.

DIOCTRIA.

Meigen, Illiger's Magaz. 1803.

nigrita Fabricius, Syst. Antl. 152; Wiedemann, Dipt. Exot. i, 180; Auss. Zw. Ins. i, 366; Walker, List. etc., vi, 497 (*Discocephala*)—South America.

tenuis Walker, Dipt. Saund., 86.—South America.

vicina Macquart, Dipt. Exot. i, 2, 26; Walker, List. etc., vi, 387.—Brazil.

PLESIOMMA.

Macquart, Dipt. Exot. i, 2, 54, 1838.

cædens Wiedemann, Auss. Zw. Ins. i, 584 (*Dasypogon*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 681.—Brazil.

caminarius Wiedemann, Auss. Zw. Ins. i, 585 (*Dasypogon*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 681.—Brazil.

fuliginosus Wiedemann, Auss. Zw. Ins. i, 380 (*Dasypogon*); Dipt. Exot. i, 218 (id.); Schiner, Verh. zool.-bot. Gesellsch. xvi, 677; Jaennicke, Neue exot. Dipt. 359.—Brazil.

nigra Macquart, Dipt. Exot. i, 2, 55.—Brazil. [Schiner, Jaennicke].

jungens Schiner, Verh. zool.-bot. Gesellsch. xvii, 375.—Brazil.

semirufa Wiedemann, Auss. Zw. Ins. i, 393 (*Dasypogon*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 678; v. d. Wulp, Tijdschr. v. Entom. xxv, 96; E. Lynch A., An. Soc. Ent. Arg. x, sep. 94.—Brazil, Argentina.

DIZONIAS.

Loew, Centur. vii, 53, 1866.

tristis Walker, Dipt. Saund. 93 (*Dasypogon*).—United States, Central and South America.

Dasypogon quadrimaculatus Bellardii, Saggio, ii, 80, pl. i, fig. 8.—Mexico. [Osten Sacken].

Dizonias bicinctus Loew, Centur. vii, 54; v. d. Wulp, Tijdschr. v. Entom. xxv, 96; Osten Sacken, Cat. Dipt. 230; Biol. Centrali-Americana, 169.

PHILAMOSIUS.

Rondani, Prodr. 1856; Dipt. Aliq. Exot. 1863.

ocrealis Rondani, Dipt. Aliq. Exot. Arch. per la Zool. 45, 1863.—Chili.

PROLEPSIS.

Walker, Dipt. Saund. 101, 1851; *Cacodæmon*, Schiner, Verh. zool.-bot. Gesellsch. xvi, 671, 1866.

lucifer Wiedemann, Auss. Zw. Ins. i, 388 (*Dasypogon*); Walker, List, etc., vi, 432 (id.); Schiner, Verh. zool.-bot. Gesellsch. xvi, 672 (*Cacodæmon*); Bigot, Ann. Soc. Ent. Fr. (5), viii, 431 (id.); v. d. Wulp, Tijdschr. v. Entom. xxii, 21 (id.); E. Lynch A., An. Soc. Cient. Arg. viii, 152 (8), xi, 26.—Montevideo, Argentina, Brazil, Uruguay, Buenos Aires.

Dasypogon satanas Wiedemann, Auss. Zw. Ins. i, 401; Loew, Bemerk. Fam. Asil. 13; Walker, List, etc., vi, 441, 442; Schiner, Verh. zool.-bot. Gesellsch. xvi, 702 (*Cacodæmon*); v. d. Wulp, Tijdschr. v. Entom. xxii, 21 (id.).

? **Dasypogon rufipennis** Macquart, Dipt. Exot. i, 2, 45; Walker, List, etc., vi, 438 (E. Lynch A., An. Soc. Cient. Arg. ix, 29).

Prolepsis fumiflamma Walker, Dipt. Saund. 100, pl. iii, fig. 6; List, etc., vi, 437. **crabroniformis** Schiner, Verh. zool.-bot. Gesellsch. xvii, 375 (*Cacodæmon*). **quadrinotata** Bigot, Ann. Soc. Ent. Fr. 1878, 431 (*Cacodæmon*).—Chili.

TOLMEROLESTES.

E. Lynch A., An. Soc. Cient. Arg. xi, 27 (Asilides Argentinos), 1881.

fax E. Lynch A., An. Soc. Cient. Arg. xi, 30.—Buenos Aires.

Pluto E. Lynch A., An. Soc. Cient. Arg. xi, 112.—Buenos Aires.

rubripes E. Lynch A., An. Soc. Cient. Arg. xi, 114.—San Luis.

CYLICOMERA.

E. Lynch A., An. Soc. Cient. Arg. xi, 115, 1881.

fraterna E. Lynch A., An. Soc. Cient. Arg. xi, 117.—Buenos Aires.

rubrofasciata E. Lynch A., An. Soc. Cient. Arg. xi, 119.—Buenos Aires.

MICROSTYLOM.

Macquart, Dipt. Exot. i, 2, 26, 1838.

longipes Macquart, Dipt. Exot. i, 2, 30, pl. ii, fig. 4.—Brazil.

DICRANUS.

Loew, Bemerk. Fam. Asil. 13, 1851; *Macronix* Bigot, Anu. Soc. Ent. Fr. 1857, 549.

longiungulatus Macquart, Dipt. Exot. Suppl. iv, 67, pl. vi, fig. 14 (*Dasypogon*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 676.—Brazil.

rutilus Wiedemann, Dipt. Exot. i, 231; Auss. Zw. Ins. i, 370 (*Dasypogon*); *Loew, Bemerk. Fam. Asil.; Schiner, Verh. zool.-bot. Gesellsch. xvi, 676.—Brazil.

Tuema E. Lynch A., An. Soc. Cient. Arg. ix, 26 (9), xi, 124; v. d. Wulp, Tijdschr. v. Entom. xxv, 98.—Argentina.

OBELOPHORUS.

Schiner, Verh. zool.-bot. Gesellsch. xvi, 672, 1866; Novara Exped. 167, 1868.

Landbeckii Philippi, Verh. zool.-bot. Gesellsch. xv, 686, pl. xxv, fig. 24.—Chili.

terebratus Macquart, Dipt. Exot. Suppl. iv, 66, pl. vi, fig. 11 (*Dasypogon*); Blanchard, Gay's Hist. fis. y pol. de Chile, vii, 366 (id.); Schiner, Novara Exped. 168.—Chili.

ARCHILESTRIS.

Loew, Berl. Ent. Zeit. xviii, 377, 1874; *Archilestes* Schiner, Verh. zool.-bot. Gesellsch. xvi, 672, 1866 [preoc.]; *Pseudarchilestes* Bigot, Bullet. Soc. Ent. Fr. 1889, p. 183.

captnopterus Wiedemann, Auss. Zw. Ins. i, 376 (*Dasypogon*); Walker, List, etc., vi, 441, 442 (id.); Schiner, Verh. zool.-bot. Gesellsch. xvi, 672, xvii, 377 (*Archilestes*); E. Lynch A., An. Soc. Cient. Arg. 28; Williston, Psyche, 255, 1889.—Montevideo, Brazil.

Dasypogon albifarsis Macquart, Dipt. Exot. Suppl. i, 66, pl. vii, fig. 7; Walker, List, etc., vi, 441, 444; Bigot, Bullet. Soc. Ent. Fr. 1889, 183 (*Pseudarchilestes*). [Schiner].

magnificus Walker, List, etc., vi, 427 (*Dasypogon*); Bellardii, Saggio, 79, pl. i, fig. 19 (*Microstylum*); Schiner, Novara Exped. 168; Osten Sacken, Biol. Centr.-Amer. 169.—Mexico, South America.

DOLICHOSES.

Macquart, Dipt. Exot. i, 2, 49, 1838.

ferruginea Macquart, Dipt. Exot. i, 2, 49, pl. iv, fig. 1.—Brazil.

HOLOPOGON.

Loew, Linn. Ent. ii, 473, 1847.

bullatus v. d. Wulp, Tijdschr. v. Eutom. xxv, 100.—Argentina.

tenerus Bigot, Ann. Soc. Ent. Fr. 1878, 437.—Chili.

HYPENETES.

Loew, Ofvers. af. k. vet. Akad. Forhandl. 1857; Diptf. Südafrikas, 89, 1860; *Clavator* Philippi, Verh. zool.-bot. Gesellsch. xv, 699, 1865.

asiliformis v. d. Wulp, Tijdschr. v. Entom. xxv, 101.—Argentina.

brevicornis Philippi, Verh. zool.-bot. Gesellsch. xv, 700 (*Clavator*).—Chili.

fulvicornis Macquart, Dipt. Exot. Suppl. i, 67, pl. vii, fig. 11 (*Dasypogon*); Schiner, Novara Exped. 159.—Chili, Brazil.

nigribarbis Philippi, Verh. zool.-bot. Gesellsch. xv, 700 (*Clavator*).—Chili.

punctipennis Philippi, Verh. zool.-bot. Gesellsch. xv, 699, pl. xxvi, fig. 31 (*Clavator*); Schiner, Novara Exped. 159.—Chili.

rufescens Philippi, Verh. zool.-bot. Gesellsch. xv, 700 (*Clavator*).—Chili.

rubricornis Philippi, Verh. zool.-bot. Gesellsch. xv, 700 (*Clavator*).—Chili.

DASYCYRTON.

Philippi, Verh. zool.-bot. Gesellsch. xv.

gibbosus Philippi, Verh. zool.-bot. Gesellsch. xv, 701, pl. xxvi, fig. 30.—Chili.

BATHYPOGON.

Loew, Bemerk. u. d. Fam. Asilidae, 1851.

cinereus Bigot, Ann. Soc. Ent. Fr. 1878, 432.—Colombia.

claripennis Schiner, Novara Exped. 160.—Chili.

hirtipes Macquart, Dipt. Exot. i, 2, 46 (*Dasypogon*); Blanchard, Gay's Hist. Chile, vii, 368 (id.); Philippi, Verh. zool.-bot. Gesellsch. xv, 686 (id.).—Chili. [Schiner].

hirtuosus Schiner, Novara Exped. 160.—Chili.
parvus Bigot, Ann. Soc. Ent. Fr. 1878, 432.—Chili.

DASYPECUS.

Philippi, Verh. zool.-bot. Gesellsch. xv, 692, 1865.

heteroneurus Philippi, Verh. zool.-bot. Gesellsch. xv, 692, pl. xxviii, fig. 24.—Chili.

HOLOCEPHALA.

Jaenische, Neue Exot. Dipt. 51, Abh. Senckenb. Gesellsch. vii, 359, 1867; *Discocephala* Macquart, Dipt. Exot. i, 2, 50, 1838 [preoc].

abdominalis Say, J. Acad. Phil. iii, 50; Compl. Wr. ii, 64 (*Dasypogon*); Wiedemann, Auss. Zw. Ins. i, 412 (id).—North America.

Discocephala rufiventris Macquart, Dipt. Exot. i, 2, 50, pl. iv, fig. 2.—Carolina, Brazil.

Dasypogon zeta Walker, List. etc., ii, 362.—North America.

Dasypogon laticeps v. d. Wulp, Tijdschr. v. Ent. (2), ii, 137, pl. iii, figs. 10–15.—North America.

alboatra Walker, Dipt. Saund. 100, pl. iii, fig. 8.—Brazil.

analisis Macquart, Dipt. Exot. Suppl. i, 68 (*Discocephala*).—Columbia, Africa. [Comp. Loew, Diptf. Südafrikas, p. 96].

apicalis Walker, List, etc., vi, 497 (*Discocephala*).—West coast of America

**inornata* Rondani, Studi Entom. (*Discocephala*).—Brazil.

**macula* Rondani, Studi Entom. (*Discocephala*).—Brazil.

oculata Fabricius, Syst. Antl. 151 (*Diocetria*); Wiedemann, Dipt. Exot. i, 230 (*Dasypogon*); Auss. Zw. Ins. i, 412 (id.); Schiner, Verh. zool.-bot. Gesellsch. xvi, 681 (*Discocephala*).—Brazil.

Discocephala agalla Walker, List, ii, 361.—Brazil. [Walker, List, vi, 497].

pullata Burmeister, *Reise, etc., ii, 170 (*Holocephala*); E. Lynch A., Asil. Arg. 96.—Tucuman [Nomen nudum].

rufithorax Wiedemann, Auss. Zw. Ins. i, 410 (*Dasypogon*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 680 (*Discocephala*); Walker, List, vi, 496 (id).—Brazil.

scopifer Schiner, Novara Exped. 161 (*Discocephala*).—South America.

uruguayensis E. Lynch A., An. Soc. Cient. Arg. sep.—Uruguay.

DAMALIS.

Fabricius, Syst. Antl. 1805.

? *divisa* Walker, List, vii, 762.—Brazil.

TRICLIS.

Loew, Bemerk. Fam. Asil. 1851; *Gastrichelius* Rondani, Prodrome, 1856

tricolor Schiner, Novara Exped. 162.—Chili.

SCYLATICUS.

Loew, Ofvers. af. K. Vet. Akad. Forhandl. 1857, 349; Diptf. Südafrikas, 84, 1860; *Euthrix* Philippi, Verh. zool.-bot. Gesellsch. xv, 690, 1865.

fulvicornis Macquart, Dipt. Exot. Suppl. iv, 68, pl. vi, fig. 12 (*Dasypogon*); Blanchard, Gay's Hist. Chile, vii, 366 (id); Schiner, Novara Exped. 163; Brauer, Syst. Zool. Studien, Sitzenb. d. k. Akad. d. Wissensch. xci 385, sep. 149, pl. figs. 7, 7a, 7b, 7c.—Chili.

- nitidigaster** Macquart, Dipt. Exot. Suppl. iv, 69 (*Dasypogon*); Blanchard, Gay's Hist. Chile, vii, 367 (id.); Philippi, Verh. zool.-bot. Gesellsch. xv, 686 (id.); Schiner, Novara Exped. 163.—Chili.
Philippii Schiner, Novara Exped. 163.—Chili.
rubripes Bigot, Ann. Soc. Ent. Fr. 1878, 435.—Chili.
tricolor Philippi, Verh. zool.-bot. Gesellsch. xv, 690 (*Dasypogon*).—Chili.
[Schiner].

B.—*Tibiae anticae calcaratae.*

THEROMYIA nom. nov.

- Cylindrophora** Philippi, Verh. zool.-bot. Gesellsch. xv, 704, 1865 (preoc.); **Lynchia** Williston, Psyche 1889, 255; **Myiothera** (id.) ibid. 259 (both preoc.).
breviventris Macquart, Dipt. Exot. Suppl. iii, 21, pl. i, fig. 13 (*Dasypogon*).—Rio Negro.
calopyga Schiner, Novara Exped. 166 (*Cylindrophora*).—Chili.
murina Philippi, Verh. zool.-bot. Gesellsch. xv, 704 (*Cylindrophora*).—Chili.

APHAMARTANIA.

Schiner, Verh. zool.-bot. Gesellsch. xvi, 671, 1866.

- Frauenfeldi** Schiner, Verh. zool.-bot. Gesellsch. xvii, 372.—Venezuela.

LASTAURUS.

- Loew**, Bemerk. v. d. Fam. Asil. 11, 1851; **Morimna** Walker, Dipt. Saund. 104, '56.
ardens Wiedemann, Auss. Zw. Ins. i, 391 (*Dasypogon*); Walker, List, etc., vi, 441, 446 (id.); Schiner, Verh. zool.-bot. Gesellsch. xvi, 678; E. Lynch A., An. Soc. Cient. Arg. viii, 151 (7).—Brazil, Buenos Aires, Misiones.
fallax Macquart, Dipt. Exot. Suppl. i, 63, pl. vii, fig. 5 (*Dasypogon*); Schiner, Verh. zool.-bot. Gesellsch. xvii, 373; Osten Sacken, Biol. Centr.-Amer. 180.—Venezuela, Mexico.
? *L. mutabilis* Loew, *Bemerk. Fam. Asil. 12. [Schiner].
fenestratus Bigot, Ann. Soc. Ent. Fr. 1878, 424.—Colombia.
lugubris Macquart, Dipt. Exot. Suppl. i, 64 (*Dasypogon*); Schiner, Verh. zool.-bot. Gesellsch. xvii, 373.—Venezuela.
L. anthracinus Loew, *Bemerk. Fam. Asil. 12. [Schiner].
? *Dasypogon fallax* Macquart, Dipt. Exot. Suppl. i, 63, pl. vii, fig. 5.—Colombia. [Schiner].
mallophoroides Walker, Dipt. Saund. 104, pl. iv, fig. 2 (*Morimna*).—Columbia.
? *L. lugubris* Macquart. [Schiner, verh.-zool.-bot. Gesellsch. xvii, 574].
transiens Walker, List, ii, 364 (*Dasypogon*); vi, 429 (*Morimna*).—Venezuela.

ALLOPOGON.

Schiner, Verh. zool.-bot. Gesellsch. xvi, 670, 1866.

- ferrugineus** E. Lynch A., Asilides Arg. 63.—Argentina.
Heydenii Jaennicke, Neue Exot. Dipt. 48, pl. ii, fig. 1 (*Dasypogon*); E. Lynch A., An. Soc. Cient. Arg. ix, 29 (id.); x, 189.—Corrientes.
infumatus E. Lynch A., An. Soc. Cient. Arg. x, 183, 44; xi, 17.—Argentina.
necans Wiedemann, Auss. Zw. Ins. i, 392 (*Dasypogon*); Walker, List, etc., vi, 446 (id.); Schiner, Verh. zool.-bot. Gesellsch. xvi, 678.—Brazil.

tessellatus Wiedemann, Auss. Zw. Ins. i, 390 (*Dasypogon*); Walker, List, etc., vi, 447 (id.); Schiner, Verh. zool.-bot. Gesellsch. xvi, 678; E. Lynch A., An. Soc. Cient. Arg. viii, 147.—Montevideo.

vittatus Wiedemann, Auss. Zw. Ins. i, 389 (*Dasypogon*); Walker, List, etc., vi, 446 (id.); Schiner, Verh. zool.-bot. Gesellsch. xvi, 678; E. Lynch A., An. Soc. Cient. Arg. viii, 146; x, 181—Montevideo, Uruguay.

Dasypogon longiungulatus Macquart, Dipt. Exot. i, 2, 36, pl. iii, fig. 6; Walker, List, etc., vi, 436; Bigot, An. Soc. Ent. Fr. 1857, 549 (*Macronix*). [Lynch].

Dasypogon annulitarsis Rondani, Dipt. Aliqua, etc., 9, 24; E. Lynch A., An. Soc. Cient. Arg. ix, 20. [Lynch].

Allopogon gracile Bigot, Ann. Soc. Ent. Fr. 1878, 418. [Lynch].

CÆNOROLIA.

Thomson, Eugenies Resa, 470, 1868.

longipennis Thomson, Eugenies Resa, 471.—Brazil.

Miles Wiedemann, Auss. Zw. Ins. i, 393 (*Dasypogon*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 678 (id.); Thomson, Eugenies Resa, 471.—Brazil.

SARAPOGON.

Loew, Linn. Ent. ii, 439, 1847.

argyrocinetus Schiner, Verh. zool.-bot. Gesellsch. xvii, 370.

cyanogaster Loew, Bemerk. Fam. Asil.—Chili.

fraternus Bigot, Ann. Soc. Ent. Fr. 1878, 414.—Chili.

Gayi Macquart, Dipt. Exot. i, 2, 37 (*Dasypogon*); Blanchard, Gay's Hist. Chili. vii, 365, pl. iii, fig. 1 (id.); Philippi, Verh. zool.-bot. Gesellsch. xv, 685 (id.).—Chili.

S. chalybeiventris Loew, Bemerk. Fam. Asil.—Chili. [Schiner].

hyacinthus Bigot, Ann. Soc. Ent. Fr. 1878, 413.—Chili.

nigronasutus Bigot, Ann. Soc. Ent. Fr. 1878, 414.—Chili.

pictus Philippi, Verh. zool.-bot. Gesellsch. xv, 681 (*Dasypogon*).—Chili.

perniger Schiner, Novara Exped. 166.—Chili.

CYRTOPHRYNS.

Loew, Bemerk. Fam. Asil. 1851.

***attennatus** Loew, Bemerk. Fam. Asil.—Chili.

NEOLAPARUS.

Williston, Psyche, 255, 1889; *Laparus* Loew, Bemerk. Fam. Asil. 1851, non Billberg, 1820.

argentinus v. d. Wulp, Tijdschr. v. Ent. xxv, 95 (*Laparus*).—Argentina.

tabidus Loew, Bemerk. Fam. Asil. 4; Diptf. Südafrikas, 67 (*Laparus*). Cape of Good Hope? Brazil?

SENOBASIS.

Macquart, Dipt. Exot. i, 2, 52, 1838; *Lochites* Schiner, Verh. zool.-bot. Gesellsch. xvi, 671, 1866; Novara Exped. 163, 1868, non Cabanis, 1859, nec Foerster, 1857. [Williston, Psyche, 1889, 255].

analis Macquart, Dipt. Exot. i, 2, 53, pl. v, fig. 1.—Brazil.

- apicalis Schiner, Verh. zool.-bot. Gesellsch. xvii, 370 (*Lochites*).—Brazil.
 asilooides Bigot, Ann. Soc. Ent. Fr. 1878, 426 (*Lochites*).—Brazil.
 claripennis Schiner, Verh. zool.-bot. Gesellsch. xvii, 369 (*Lochites*).—Brazil.
 fenestrata Macquart, Dipt. Exot. i, 2, 53.—Brazil. [“Tibias anterieures sans ergot.”]
 fulvus Bigot, Ann. Soc. Ent. Fr. 1878, 426 (*Lochites*).—Amazon.
 gyrophorus Schiner, Novara Exped. 164, pl. ii, fig. 10 (*Lochites*).—Brazil.
 modestus Bigot, Ann. Soc. Ent. Fr. 1878, 427.—Amazon.
 nigriventris Bigot, Ann. Soc. Ent. Fr. 1878, 427 (*Lochites*).—Chili.
 ornatus Wiedemann, Zool. Mag. iii, 49 (*Laphria*) ; Dipt. Exot. i, 2, 22 (*Dasypogon*) ;
 Auss. zw. Ins. i, 386, 585 (id.) ; Schiner, Verh. zool.-bot. Gesellsch. xvi.
 677 (*Lochites*) ; xvii, 369 (id.).—Brazil.
 staurophorus Schiner, Novara Exped. 165 (*Lochites*).—Colombia.

DEROMYIA.

- Philippi, Verh. zool.-bot. Gesellsch. xv, 705, 1865 ; *Digomites* Loew, Centur. ii, 36,
 1866.
 atrata Bigot, Ann. Soc. Ent. Fr. 1878, 415 (*Diogmites*).—Brazil.
 brunnea Fabricius, Mant. Ins. ii, 359 (*Asilus*) ; Ent. Syst. iv, 382 (id.) ; Syst.
 Antl. 165 (*Dasypogon*) ; Wiedemann, Dipt. Exot. i, 219 (id.) ; Auss. zw.
 Ins. i, 383 (id.) ; Macquart, Dipt. Exot. i, 2, 34 (id.) ; Schiner, Verh. zool.-
 bot. Gesellsch. xvi, 677 (id.) ; Walker, List, etc., vi, 421 (id.) ; Bellardi, Sag-
 gio, ii, 67 (*Sarapogon*).—Mexico (Bell.). Philadelphia (Macq.), Cayenne.
 Duillius Walker, List. ii, 340 (*Dasypogon*) ; Osten Sacken, Biol. Centr.-Amer.
 178 (*Diogmites*).—Honduras, South America.
 fascipennis Blanchard, Gay's Hist fis. y pol. de Chile, vii, 371, pl. i, fig. 6
 (*Gonypus*) ; Philippi, Verh. zool.-bot. Gesellsch. xv, 705.—Chili.
 fulvipes Philippi, Verh. zool.-bot. Gesellsch. xv, 706.—Chili.
 gracilis Philippi, Verh. zool.-bot. Gesellsch. xv, 706, pl. xxvi, fig. 29.—Chili.
 Lindigii Schiner, Novara Exped. 165 (*Dasypogon*) ; Osten Sacken, Biol. Centr.-
 Amer. 174 (*Diogmites*).—Panama, South America.
 ? notata Bigot, Ann. Soc. Ent. Fr. 1878, 416 (*Diogmites*).—Amazon.
 placida v. d. Wulp, Tijdschr. v. Ent. xxv, 94.—Argentina.
 rufitarsis Bigot, Ann. Soc. Ent. Fr. 1878, 416 (*Diogmites*).—Brazil.
 Weyenberghii v. d. Wulp, Tijdschr. v. Ent. xxv, 93.—Argentina.
 Win'hemi Wiedemann, Dipt. Exot. i, 223; Auss. zw. Ins. i, 387 (*Dasypogon*) ;
 Schiner, Verh. zool.-bot. Gesellsch. xvi, 678 (id.) ; v. d. Wulp, Tijdschr.
 v. Ent. xxv, 93.—South America.
 ? *Diogmites misellus* Loew, Centur. ; Williston, Trans. Am. Ent. Soc. xi, 24.—
 North America.

BLEPHAREPIUM.

- Rondani, Studi Entom. i, 89, 1848 ; *Planetolestes* E. Lynch A., An. Soc. Cient.
 Arg. xi, 22, 72, 1881.
 auricinctum Schiner, Verh. zool.-bot. Gesellsch. xvi, 371 (*Senobasis*).—Brazil,
 Surinam.
 coarctatum Perty, *Delectns, etc., 181, pl. xxxvi, fig. 4 (*Laphria*) ; Walker, List,
 etc., vi, 504 (*Dasypogon*) ; E. Lynch A., An. Soc. Cient. Arg. viii, 147
 (*Planetolestes*), xi, 24; v. d. Wulp, Tijdschr. v. Ent. xxv, 88.—Brazil,
 Buenos Aires, Cuba, Mexico.

Dasypogon Bonariensis Macquart, Dipt. Exot. i, 2, 194; Walker, List, vi, 439.
[Lynch].

? *Blepharepium luridum* Rondani, Studi Entom. 89.

Dasypogon subcontractus Walker, Dipt. Saund. 455.—Amazon.

Senobasis annulatus Bigot, La Sagra's Hist. Cuba, 789, pl. xx, fig. 3; Osten Sacken, Bull. Buff. Soc. Nat. Sci. 1874, 184; Cat. Dipt. 72 (*Diognites*).

Dasypogon secabilis Walker, Trans. Ent. Soc. (2), v, 276; Bellardi, Saggio, ii, 63, pl. i, fig. 4; Schiner, Verh. zool.-bot. Gesellsch. xvi, 701 (*Senobasis*). Osten Sacken, Biol. Centr.-Amer. 171 (*Planetoletes*). [Lynch].

PHONICOCLEPTES.

E. Lynch A., An. Soc. Cient. Arg. xi, 18, 1881.

Busiris E. Lynch A., An. Soc. Cient. Arg. xi, 21.—Buenos Aires.

DASYPOGON.

Meigen, Class. Beschr. 1804.

Sensu late.

Aedon Walker, List, ii, 343.—Venezuela.

castaneus Macquart, Dipt. Exot. i, 2, 35.—Brazil.

castigans Walker, Dipt. Saund. 89.—South America.

costalis E. Lynch A., An. Soc. Cient. Arg. ix, 29 (12).—Argentina.

coffeatus Wiedemann, Zool. Mag. iii, 49; Dipt. Exot. i, 217; Auss. zw. Ins. i, 374; Schiner, Verh. zool. bot. Gesellsch. xvi, 676.—Brazil.

crassitarsis Macquart, Dipt. Exot. i, 2, 33.—Brazil.

equestris Wiedemann, Auss. Ins. i, 392; Schiner, Verh. zool.-bot. Gesellsch. xvi, 678.—Brazil.

examinans Walker, Dipt. Saund. 90.—Para.

eburnus Walker, List, iii, 332.—Para.

flavipennis Wiedemann, Auss. zw. Ins. i, 376; Schiner, Verh. zool.-bot. Gesellsch. xvi, 676.—Brazil, Colombia.

flavipennis Macquart, Dipt. Exot. Suppl. i, 64, pl. vii, fig. 4.—Colombia.

fraternus Macquart, Dipt. Exot. Suppl. i, 63.—Brazil.

grandis Macquart, Dipt. Exot. Suppl. i, 63, pl. vi, fig. 8.—Brazil.

inclusus Walker, Dipt. Saund. 95.—Para.

insertus Walker, Dipt. Saund. 94.—South America.

intactus Wiedemann, Auss. Zw. Ins. i, 371; Schiner, Verh. zool.-bot. Gesellsch. xvi, 676.—South America.

Lebasii Macquart, Dipt. Exot. i, 2, 38.—Colombia.

maculipennis Macquart, Dipt. Exot. i, 2, 37, pl. iii, fig. 8.—Brazil.

melaleucus Schiner, Novara Exped. 165.—South America.

melanogaster Wiedemann, Dipt. Exot. i, 215; Auss. Zw. Ins. i, 368; Macquart, Hist. Nat. Dipt. i, 294; Dipt. Exot. i, 2, 85; Walker, List, vi, 450; Schiner, Verh. zool.-bot. Gesellsch. xvi, 675.—Brazil.

miser Walker, List, vi, 433.—Brazil.

princeps Macquart, Dipt. Exot. Suppl. iii, 19, pl. i, fig. 14.—Brazil.

pumilus Macquart, Dipt. Exot. i, 2, 37.—Brazil.

rapax Walker, Dipt. Saund. 88.—South America.

rufipalpis Macquart, Dipt. Exot. i, 2, 38, pl. iii, fig. 2.—Cayenne?

rufiventris Wiedemann, Dipt. Exot. i, 223; Auss. Zw. Ins. i, 388; Schiner, Verh. zool.-bot. Gesell. xvi, 678; Walker, List, vi, 503 ("var.").—Para.

II.—LAPHRINÆ.

A.—*Tibiae antice calcaratæ.*

PSEUDORUS.

Walker, Dipt. Saund. 103, 1850.

piceus Walker, Dipt. Saund. 103, pl. iv, fig. 5; Williston, Psyche, 1889, 256.—South America.

DORYCLUS.

Jaennicke, Neue Exot. Dipt. 58; Abhand. Senck. Gesellsch. vi, 366, 1867; *Ampyx* Walker, List. etc., 564, 1855 (preoc.).

distendens Wiedemann, Auss. Zw. Ins. i, 571 (*Asilus*); Jaennicke, Neue Exot. Dipt. 366, pl. xliv, fig. 3; Roeder, Berl. Entom. Zeit. xxxi, 77; Williston, Psyche, 1889, 256.—Brazil, Mexico.

Megapoda crassitarsis Macquart, Dipt. Exot. Suppl. i, 70, pl. vii, fig. 11 (male).—Brazil. [Roeder.]

Megapoda cyaneiventris Macquart, Dipt. Exot. Suppl. i, 71, pl. vii, fig. 12 (female).—Mexico. [Roeder.]

Ampyx varipennis Walker, List. etc., vii, 564; Osten Sacken, Biol. Centr.-Amer. 182 (male).—Brazil, Mexico.

Doryclus latipes v. d. Wulp, Tijdschr. v. Ent. (2) v, 215, pl. ix, figs. 7–12 (female).—Surinam. [Roeder.]

MEGAPODA.

Macquart, Hist. Nat. des. Ins. i, 288, 1834.

Guentherii E. Lynch A., Asil. Arg. 98 (*Doryclus*).—Buenos Aires. [*Doryclus*?] *labiata* Fabricius, Syst. Antl. 160 (*Laphria*); Wiedemann, Dipt. Exot. i, 232 (id.);

Auss. Zw. Ins. i, 499 (id.); Macquart, Hist. Nat. Dipt. i; Dipt. Exot. i, 2, 59, pl. v, fig. 3; Schiner, Verh. zool.-bot. Gesellsch. xvi, 690; Roeder, Berl. Ent. Zeit. xxxi, 689, 78.—Brazil.

**Dasypogon rufimanus* Perty, Del. Anim. Art. 181, pl. xxxvi, fig. 6. [Walker.] *M. cyanæa* Macquart, Hist. Nat. Dipt. i, 288.—Brazil.

rufiventris Roeder, Berl. Ent. Zeit. xxxi, 78.—Amazon.

B.—*Tibiae antice non calcaratæ.*

a.—*Venulae exteriore cellularum discalis et posterioris quartæ conjunctæ et rectæ aut parallelæ.*

EUMECOSOMA.

Schiner, Verh. zool.-bot. Gesellsch. xvi, 673, 1866.

dichroma Bigot, Ann. Soc. Ent. Fr. 1878, 236.—Brazil.

metallescens Schiner, Novara Exped. 171.—South America.

pleuritica Wiedemann, Auss. Zw. Ins. i, 527 (*Laphria*); Walker, List. vii, 568 (*Atomosia*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 673, 693.—Brazil.

staurophora Schiner, Novara Exped. 172.—South America.

ATOMOSIA.

Macquart, Dipt. Exot. i, 2, 73, 1838; *Cormansis* Walker, Dipt. Saund. 154, 1851.

affinis Macquart, Dipt. Exot. Suppl. iv, 75.—Brazil.

appendiculata Macquart, Dipt. Exot. Suppl. i, 76, pl. viii, fig. 1.—Cayenne.

- ancylocera Schiner, Nov. Exped. 170.—South America. [*Atonia?*].
 annulipes Macquart, Dipt. Exot. i, 2, 74.—Brazil.
 argyrophora Schiner, Novara Exped. 169.—Brazil.
 Beckeri Jaennicke, Neue Exot. Dipt. 51 (359); E. Lynch A., An. Soc. Cient. Arg. ix, 52, sep. 19.—Mexico, Buenos Aires?
 brevicornis Macquart, Dipt. Exot. i, 2, 76.—Brazil.
 *cyanescens Rondani, Studi, Entom.—Brazil.
 cyanescens Bigot, Ann. Soc. Ent. Fr. 1878, 235 (*Cormansis*).—Chili.
 dispar Walker, List. etc., vii, 570.—Santarem.
 geniculata Wiedemann, Auss. Zw. Ins. i, 528 (*Laphria*); Dipt. Exot. i, 241 (*Laphria*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 693; Novara Exped. 169; v. d. Wulp, Tijdschr. v. Ent. xxv, 105.—Brazil, Argentina.
 limbata Macquart, Hist. Nat. Dipt. i, 287 (*Laphria*).—Cayenne.
 limbiventris Thomson, Eugenies Resa, 466.—Montevideo.
 modesta Philippi, Verh. zool.-bot. Gesellsch. xv, 685 (*Laphria*).—Chili.
 nigripes Macquart, Dipt. Exot. i, 2, 74.—Brazil.
 nigroænea Walker, Dipt. Saund. 154.—Columbia.
 pilipes Thomson, Eugenies Resa, 465; E. Lynch A., An. Soc. Cient. Arg. ix, 52, sep. 19; v. d. Wulp, Tijdschr. v. Ent. xxv, 105.—Buenos Aires.
 tibialis Macquart, Dipt. Exot. Suppl. i, 76; v. d. Wulp, Tijdschr. v. Ent. xxv, 105.—Yucatan, Columbia.
 unicolor Macquart, Dipt. Exot. i, 2, 74; pl. vii, figs. 2, 3.—Brazil.
 venustula E. Lynch A., An. Soc. Cient. Arg. ix, 50, sep. 17; v. d. Wulp, Tijdschr. v. Ent. xxv, 106.—Argentina.
 viduata Wiedemann, Zool. Mag. iii, 50; Dipt. Exot. i, 241; Auss. Zw. Ins. i, 528 (*Laphria*); Schiner, Verh. zool.-bot. Gesellsch. xvii, 378.—Brazil.
 xanthopus Wiedemann, Auss. Zw. Ins. i, 529 (*Laphria*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 693; v. d. Wulp, Tijdschr. v. Ent. xxv, 105.—Brazil, Guanaxnata.

RHATHITHOMYIA.

E. Lynch A., Asil. Arg. 104, An. Soc. Cient. Arg. xi, 1881.

nitidula E. Lynch A., Asil. Arg. 106.—Argentina.

APHESTIA.

Schiner, Verh. zool.-bot. Gesellsch. xvi, 673, 1866.

brasiliensis Schiner, Verh. zool.-bot. Gesellsch. xvii, 378.—Brazil.

calceata Schiner, Verh. zool.-bot. Gesellsch. xvii, 379.—Brazil.

ATONIA.

Williston, Psyche, 1889, 257.

? aencylocera Schiner, Novara Exped. 170 (*Atomosia*).—South America.

CEROTAINIA.

Schiner, Verh. zool.-bot. Gesellsch. xvi, 673, 1866; *Ceratotenia* E. Lynch A., An. Soc. Cient. Arg. ix, 52, sep. 19, 1880.

argyropus Schiner, Novara Exped. 170.—Colombia.

aurata Schiner, Novara Exped. 171.—Colombia.

bella Schiner, Verh. zool.-bot. Gesellsch. xvii, 380.—Brazil.

- brasiliensis** Schiner. Verh. zool.-bot. Gesellsch. xvii, 379.—Brazil.
propinqua Schiner, Novara Exped. 171.—Colombia
rhopalocera E. Lynch A., An. Soc. Cient. Arg. ix, sep. 101.—Argentina.
violaceithorax E. Lynch A., An. Soc. Cient. Arg. ix, 52, sep. 19.—Buenos Aires.

CYPHOTOMYIA.

Williston, Psyche, 1889, 257.

- Lynchii** Williston, Psyche, 1889, 258.—Brazil.

LAMPROZONA.

Loew, Bemerk. Fam. Asil. 1851.

- auricincta** Loew, Bemerk. Fam. Asil. 18; Schiner, Novara Exped. 171.—Chili.
castaneipes Bigot, An. Soc. Ent. Fr. 1878, 234.—Chili.

b.—*Venæ exteriores cellularum discalis et posterioris quartæ nec conjunctæ nec parallelæ.*

DASYLLIS.

Loew, Bemerk. Fam. Asil. 20, 1851.

- albocollis** Bigot, An. Soc. Ent. Fr. 1878, 229.—South America.
croceiventris Wiedemann, Dipt. Exot. i, 234 (*Laphria*); Auss. Zw. Ins. i, 503
 (id.); Schiner, Verh. zool.-bot. Gesellsch. xvi, 691.—Brazil.
fascipennis Macquart, Hist. Nat. Dipt. i, 284 (*Laphria*).—Central America.
 Cayenne.
Laphria praepotens Macquart, Dipt. Exot. Suppl. i, 74, pl. vii, fig. 17; Schiner,
 Novara Exped. 172 [Loew, in Osten Sacken, Cat. Dipt. 75.]
haemorrhoa Wiedemann, Auss. Zw. Ins. ii, 645 (*Laphria*); Schiner, Verh. zool.-
 bot. Gesellsch. xvi, 694.—Bahia.

LAPHRIA.

Meigen, Illiger's Magaz. ii, 1803; *Chaerides* Walker, Dipt. Saund. 109, 1856.

Sensu lat.

- albolineata** Macquart, Dipt. Exot. Suppl. iv, 74.—Bolivia.
albitibia Macquart, Dipt. Exot. Suppl. iii, 25, pl. ii, fig. 6.—Brazil.
albitibialis Macquart, Dipt. Exot. Suppl. ii, 38.—Brazil. [= *albitibia*; fide
 Walker, List, etc., vii, 535.]
antica Wiedemann, Auss. Ins. i, 530.—Brazil. [*Atomosia*?]
bimaculata Walker, List, etc., vii, 531, 534, 550.—Amazon.
bipars Walker. [Schiner.]
calogastra Philippi Verh. zool.-bot. Gesellsch. xv, 684.—Chili.
contusa Wiedemann, Auss. Zw. Ins. i, 587.—Brazil.
dasypus Wiedemann, Auss. Zw. Ins. i, 527; Walker, List, vii, 568.—Brazil.
 [*Atomosia*? *Atractia*?]
dichroa Wiedemann, Auss. Zw. Ins. i, 526.—Brazil.
dentipes Fabricius. [Schiner.]
laticornis Walker, List, vii, 535.—Para.
melanura Wiedemann, Auss. Zw. Ins. i, 508; Macquart, Dipt. Exot. i, 2, 67;
 Schiner, Verh. zool.-bot. Gesellsch. xvi, 691.—Brazil.
mellipes Wiedemann, Auss. Zw. Ins. i, 526.—Brazil.

- minuta** Wiedemann, Auss. Zw. Ins. i, 530.—Brazil. [*Atractia?* *Atomosia?*].
Olbus Walker, List, ii, 375, vii, 530; Macquart, Dipt. Exot. Suppl. v, 53; Schiner, Novara Exped. 173.—Guatemala, Honduras, South America. “Not a *Laphria*,” Osten Sacken, Biol. Centr.-Amer. 186.
pilipes Macquart, Hist. Nat. Dipt. i, 282.—Brazil.
proxima Walker, List, vii, 537.—Para.
pusilla Wiedemann, Auss. Zw. Ins. i, 532.—Brazil.
rufipennis Wiedemann, Auss. Zw. Ins. i, 522; Macquart, Dipt. Exot. Suppl. i, 73, iii, 21; Schiner, Verh. zool.-bot. Gesellsch. xvi, 692; xvii, 380.—Cayenne, Brazil.
scoriacea Wiedemann, Auss. Zw. Ins. i, 529.—Brazil. [*Atomosia?* *Atractia?*]
transatlantica Schiner, Novara Exped. 173.—South America.
venezuelensis Macquart, Dipt. Exot. Suppl. i, 74, pl. vii, fig. 15.—Colombia, Venezuela.
violacea Macquart, Dipt. Exot. Suppl. i, 74.—Colombia.

LAMPRIA.

Macquart, Dipt. Exot. i, 2, 60, 1838.

- bicolor** Wiedemann, Auss. Zw. i, 522 (*Laphria*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 692, 709; Williston, Trans. Amer. Ent. Soc. xi, 32.—North America, Brazil. [Schiner.]
bitincta Walker, Trans. Entom. Soc. v, 276.—Amazon.
clavipes Fabricius, Syst. Antl. 162 (*Laphria*); Wiedemann, Dipt. Exot. i, 237 (id.); Auss. Zw. Ins. i, 513 (id.); Schiner, Novara Exped. 174; Verh. zool.-bot. Gesellsch. xvi, 691; Macquart, Dipt. Exot. i, 2, 61, non Suppl. iii, 22; Walker, List, vii, 510; v. d. Wulp, Tijdschr. v. Ent. xxv, 104; Osten Sacken, Biol. Centr.-Amer. 186; non Bellardi, Saggio.—Brazil, Panama.
cilipes Walker, Trans. Entom. Soc. iv, 127.—Amazon.
dives Wiedemann, Auss. Zw. Ins. i, 524 (*Laphria*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 692.—Brazil.
fulgida Schiner, Novara Exped. 174.—Brazil.
Macquartii Perty, *Delectus (*Laphria*); Walker, List, vii, 511.—Brazil.
parvula Bigot, Ann. Soc. Ent. Fr. 1878, 237.—Brazil.
pusilla Macquart, Dipt. Exot. i, 2, 68 (*Laphria*).—Brazil.
scapularis Bigot, Ann. Soc. Ent. Fr. 1878, 237.—Para.
spinipes Fabricius, Syst. Antl. 162 (*Laphria*); Wiedemann, Dipt. Exot. i, 240 (id.); Auss. Zw. Ins. i, 525 (id.); Schiner, Verh. zool.-bot. Gesellsch. xvi, 692; Osten Sacken, Biol. Centr.-Amer. 187.—Brazil, Central America.
Laphria affinis Fabricius Syst. Antl. 163.
Tolmides Walker, List, ii, 377 (*Laphria*).—South America.

MAIRA.

Schiner, Verh. zool.-bot. Gesellsch. xvi, 673, 1866.

- splendens** Macquart, Hist. Nat. Dipt. i, 286 (*Laphria*); Schiner, Novara Exped. 157.—Surinam.

ANDRENOSOMA.

- Rondani, Dipt. Ital. Prodr. i, 160, 1856; *Nusa* Walker, Dipt. Saund. 108, 1854.
Amandus Walker, List, ii, 373 (*Laphria*).—Brazil.

- appendiculata** Macquart, Dipt. Exot. Suppl. i, 75, pl. vii, fig. 18 (*Laphria*).—Cayenne.
- clausicella** Macquart, Dipt. Exot. Suppl. iv, 74, pl. vii, fig. 7 (*Laphria*).—Guiana
- erythrogaster** Wiedemann, Auss. Zw. Ins. i, 523 (*Laphria*); Schiner, Verh. zool.-bot. Gesellsch. xvii, 382.—Brazil.
- erythropyga** Wiedemann, Auss. Zw. Ins. i, 609 (*Laphria*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 691; v. d. Wulp, Tijdschr. v. Ent. xxv, 104,—Brazil.
- fulvicauda** Say, J. Acad. Phil. iii, 53, pl. vi, Compl. Wr. i, 12 (*Laphria*); Wiliston, Trans. Amer. Ent. Soc. xi, 33.—North and South America.
- Laphria pyrrhocra** Wiedemann, Auss. Zw. Ins. i, 517; Schiner, Novara Exped. 175.
- laticornis** Walker, List, vii, 535 (*Laphria*).—Para.
- maculipennis** Macquart, Dipt. Exot. Suppl. i, 73, pl. vii, fig. 14 (*Laphria*).—Guiana.
- mesoxantha** Wiedemann, Auss. Zw. Ins. i, 513 (*Laphria*); Macquart, Dipt. Exot. i, 2, 67 (id.); Schiner, Verh. zool.-bot. Gesellsch. xvi, 691.—Brazil.
- pygophora** Schiner, Novara Exped. 175.—South America.
- pyrrhopyga** Wiedemann, Auss. Zw. Ins. i, 515 (*Laphria*); Schiner, Verh., zool.-bot. Gesellsch. xvi, 691.—Brazil.
- purpurascens** Walker, Dipt. Sand. 457 (*Laphria*).—Amazon.
- rufiventris** Blanchard, Gay, Hist. Nat. y pol. de Chile, vii, 364, pl. i, fig. 5 (*Laphria*); Schiner, Novara Exped. 176.—Chili.
- xanthocnema** Wiedemann, Auss. Zw. Ins. i, 509 (*Laphria*); Macquart, Dipt. Exot. i, 2, 67 (id.); Schiner, Verh. zool.-bot. Gesellsch. xvi, 691; v. d. Wulp, Tijdschr. v. Ent. xxv, 104.—Brazil, West Indies. [Macquart.]

ASICYA.

E. Lynch A., An. Soc. Cient. Arg. ix, 224, sep. 24, 1880.

fasciata E. Lynch A., An. Soc. Cient. Arg. ix, 227, sep. 27.—Buenos Aires.

DASYTHRIX.

Loew, Bemerk. Fam. Asil. 21, 1851.

heteroneura Macquart, Dipt. Exot. i, 2, 70, pl. vi, fig. 3.—“Arabia? Brazil?”

***inornata** Loew, Bemerk. Fam. Asil.—South America.

leucophæa E. Lynch A., An. Soc. Cient. Arg. ix, 55, sep. 22.—Buenos Aires.

LYCOMYIA.

Bigot, Ann. Soc. Ent. Fr. (3), v, 298, 1857.

Germainii Bigot, Ann. Soc. Ent. Fr. (3), v, 290, pl. vi, fig. 3; Philippi, Verh. zool.-bot. Gesellsch. xv, 694; Schiner, Novara Exped. 169.—Chili.

RHOPALOGASTER.

Macquart, Hist. Nat. Dipt. i, 279, 1834.

longicornis Wiedemann, Auss. Zw. Ins. i, 519 (*Laphria*); Macquart, Hist. Nat. Dipt. i, 279; Dipt. Exot. i, 2, 72; Schiner, Verh. zool.-bot. Gesellsch. xvi, 693.—Brazil.

LAPHYSTIA.

Loew, Linn. Ent. iii, 538, 1847.

columbina Schiner, Novara Exped. 175.—Colombia.

NEOPHONEUS.

Williston, Psyche, 1889, 255; *Phoneus* Macquart, Dipt. Exot. i, 2, 79, 1838 (preoc.).
Servillei Macquart, Dipt. Exot. i, 2, 79, pl. vii, fig. 3.—Brazil.

III.—ASILINAE.

MALLOPHORA.

Macquart, Hist. Nat. Dipt. i, 301, 1834.

- affinis* Schiner, Novara Exped. 176.—Rio Negro.
albifrons Walker, Zool. iii, App. xcviii.—South America.
**alecto* Rondani, Studi Trugin.—Brazil.
argentipes Macquart, Dipt. Exot. i, 2, 88.—Guinea.
atra Macquart, Hist. Nat. Dipt. i, 302.—Brazil.
auromystacea Macquart, Dipt. Exot. Suppl. v, 55.—South America.
aurotestacea Macquart.
barbipes Wiedemann, Zool. Mag. iii, 48 (*Laphria*); Dipt. Exot. i, 2, 39 (id.);
 Auss. Zw. Ins. i, 481; Schiner, Verh. zool.-bot. Gesellsch. xvi, 688.—
 Brazil. [Promachus?]
Belzebul Schiner, Verh. zool.-bot. Gesellsch. xvii, 385.—Brazil.
Bergii E. Lynch A., Asil. Arg. 35.—Uruguay.
Bigotii E. Lynch A., Cat. 146.—Buenos Aires.
M. soccata (Thoms.), E. Lynch A., Asil. Arg. 35.
breviventris Macquart, Dipt. Exot. Suppl. iv, 77, pl. viii, fig. 7.—Brazil.
calceata Schiner, Verh. zool.-bot. Gesellsch. xvi, 711.—Brazil. [Nomen nudum?]
calida Fabricius, Ent. Syst. iv, 380 (*Asilus*); Syst. Antl. 159 (*Laphria*); Wiedemann, Dipt. Exot. i, 210 (*Asilus*); Auss. Zw. Ins. i, 482 (id.); Schiner, Verh. zool.-bot. Gesellsch. xvi, 688; xvii, 384.—Brazil, Cayenne.
candens Walker, Dipt. Saund. 117 (*Trupanea*); List, vii, 583.—Para.
ciliata Walker, Dipt. Saund. 112.—? South America.
cinerascens Walker, List, vii, 581.—Para.
cœruleiventris Thomson, Eugenies Resa, 467.—Callao.
contraria Walker, Dipt. Saund. 113.—South America.
cruralis Rondani, Arch. per la zool. etc., 1863, 46.—Guiana.
Mallophora tibialis Macquart, Dipt. Exot. Suppl. i, 77, pl. viii, fig. 3. [Nomen
 bis lectum.]
fascipennis Macquart, Dipt. Exot. Suppl. iv, 75.—Brazil.
Freycinetii Macquart, Dipt. Exot. i, 2, 85, Suppl. i, 77.—Brazil, Colombia.
geniculata Macquart, Dipt. Exot. i, 2, 87; Schiner, Verh. zool.-bot. Gesellsch.
 xvii, 384.—South America.
infernalis Wiedemann, Dipt. Exot. i, 202 (*Asilus*); Auss. Zw. Ins. i, 475 (*Asilus*);
 Perty, Delectus, etc., 181 (id.); Macquart, Hist. Nat. Dipt. i, 301, pl. vii,
 fig. 7; Schiner, Verh. zool.-bot. Gesellsch. xvi, 687; ? Bellardi, Saggio,
 ii, 21; ? Osten Sacken, Biol. Centr.-Amer. 189.—Brazil, ? Mexico.
Lampon Walker, List, ii, 388.—Brazil.
laphroides Wiedemann, Auss. Zw. Ins. i, 403 (*Asilus*); Bigot, Ann. Soc. Ent.
 Fr. 1857, 542 (*Megaphorus*); Williston, Trans. Amer. Ent. Soc. xi, pl. ii,
 fig. 11, xii, 59.—North America.
M. heteroptera Macquart, Dipt. Exot. i, 2, 90, pl. viii, fig. 3; Bigot, Ann. Soc.
 Ent. Fr. 1857, 542 (*Megaphorus*); Schiner, Verh. zool.-bot. Gesellsch.
 xvii, 387.—Brazil.

- Leschenaultii** Macquart, Dipt. Exot. i, 2, 86.—Lamana.
lugubris E. Lynch A., Asil. Arg. 30.—Misiones.
minos Wiedemann, Auss. Arg. Ins. i, 478 (*Asilus*); v. d. Wulp, Tijdschr. v. Ent. xxv, 106.—Argentina.
nigrifemorata Macquart, Dipt. Exot. i, 2, 90.—“Probablement le Bresil.”
nigritarsis Fabricius, Syst. Antl. 168 (*Dasyopogon*); Wiedemann, Dipt. Exot. i, 208 (*Asilus*); Auss. Zw. Ins. i, 479 (*id.*); Macquart, Dipt. Exot. i, 2, 86; v. d. Wulp, Notes from the Leyden Museum, iv, 77; Tijdschr. v. Ent. xxv, 107; Schiner, Verh. zool.-bot. Gesellsch. xvi, 688, xvii, 386.—Brazil, Surinam.
? *M. nigrifemorata* Macquart, [vide supra.]
nigriventris Jaennicke, Neue Exot. Dipt. 53; E. Lynch A., Asil. Arg. 32.—Paraguay.
opposita Walker, Dipt. Saund. 112; Schiner, Verh. zool.-bot. Gesellsch. xvii, 385.—Brazil.
pluto Wiedemann, Auss. Zw. Ins. i, 477 (*Asilus*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 688; Novara Exped. 176; v. d. Wulp, Tijdschr. v. Ent. xxv, 106; Osten Sacken, Biol. Centr.-Amer. 190.—Argentina, Guatemala.
purpurea Walker, Zool. viii, App. xcviii (*Trupanea*); List, vii, 584.—Para, Santar.
pusilla Macquart, Dipt. Exot. i, 2, 88.—Brazil.
robusta Wiedemann, Auss. Zw. Ins. i, 478 (*Asilus*); Macquart, Dipt. Exot. Suppl. i, 78; v. d. Wulp, Tijdschr. v. Ent. xxv, 106.—Yucatan, Brazil.
rufipes Macquart, Dipt. Exot. Suppl. iv, 76.—Brazil.
ruficauda Wiedemann, Auss. Zw. Ins. i, 476 (*Asilus*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 687; xvii, 386; E. Lynch A., Asil. Arg. 30; v. d. Wulp, Tijdschr. v. Ent. xxv, 106.—Argentina.
M. soccata Thomson, Eugenies Resa, i, 467. [E. Lynch A., Cat. 146 (38).]
rufiventris Macquart, Dipt. Exot. i, 2, 91.—“Patrie inconnue.”
scopipeda Rondani, Arch. per la Zool. 1863, 46.—Brazil, Cuba.
Mallophora scopifer Macquart (non Wiedemann), Dipt. Exot. i, 2, 89.
M. Macquartii Loew in Osten Sacken, Cat. Dipt. 78.
scopifer Wiedemann, Auss. Zw. Ins. i, 478 (*Asilus*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 688; Novara, Exped. 176.—Colombia.
scopitarsis Rondani, Arch. per la Zool. 1863, 46.—Brazil.
scutellaris E. Lynch A., Asil. Arg. 33.—Misiones.
*bsemiviolacea Rondani, Studi Entom.—Brazil.
singularis Macquart, Dipt. Exot. i, 2, 87, pl. viii, fig. 4; Schiner, Verh. zool.-bot. Gesellsch. xvii, 387.—Guaratuba, Brazil.
***socculata** Rondani, Studi Entom.—Brazil.
Sylveirii Macquart, Dipt. Exot. i, 2, 86.—Brazil.
testaceipes Macquart, Dipt. Exot. Suppl. iv, 76.—South America.
testaceitarsis Macquart, Dipt. Exot. Suppl. v, 54.—South America.
tibialis Macquart, Dipt. Exot. i, 2, 85; v. d. Wulp, Tijdschr. v. Ent. xxv, 107.—Brazil, Guiana, Cayenne.
M. fascipennis Macquart, Dipt. Exot. Suppl. iv, 75.—Brazil.
M. fasciata Walker, List, vii, 583; Dipt. Saund. 112. [Walker.]
tisiphones Rondani, Studi Ent. 1848; Arch. per la Zool. 1863, 47.
M. rufipes Macquart, Dipt. Exot. Suppl. iv, 76.—Brazil (nom. preoc.).
tricolor Walker, Zool. viii, App. xcviii.—Para. [“*M. Amphinome* var. ??”]

ventralis Macquart, Dipt. Exot. i, 2, 91.—“Patrie inconnue.”
xylocopides Walker, Dipt. Saund. 111.—Para.

PROMACHUS.*

Loew, Linn. Ent. iii, 390, 1848; *Trupanea* Macquart, Dipt. Exot. i, 2, 1838, non Schrank, 1803.

breviscula Walker, List, vii, 391.—Amazon region.
captans Walker, Dipt. Saund. 117.—South America.
flavifasciatus Macquart, Dipt. Exot. i, 2, 102, pl. ix, fig. 1 (*Trupanea*).—Brazil.
fuscipennis Macquart, Dipt. Exot. Suppl. i, 81 (*Trupanea*); Schiner, Novara Exped. 177; Bellardi, Saggio, ii, 24, pl. ii, fig. 1.—Mexico, South America.
gracilis Macquart, Dipt. Exot. i, 2, 102 (*Trupanea*).—Brazil.
hirtiventris Macquart, Dipt. Exot. Suppl. iv, 79, pl. viii, fig. 1 (*Trupanea*).—South America.
incisuralis Macquart, Dipt. Exot. i, 2, 107, Suppl. i, 80 (*Trupanea*).—Brazil.
mitescens Walker, Dipt. Saund. 118.—South America.
nigripes Macquart, Dipt. Exot. i, 2, 101 (*Trupanea*).—Brazil.
nigripes Fabricius, Ent. Syst. iv, 385 (*Asilus*); Syst. Antl. 171 (*Dasypogon*): Wiedemann, Dipt. Exot. i, 209 (*Asilus*); Auss. Zw. Ins. i, 480 (id.); Schiner, Verh. zool.-bot. Gesellsch. xvi, 688; xvii, 388.—Brazil.
perfecta Walker, Dipt. Saund. 120.—South America.
**purpurea* Walker, Newman, Zool. Append. xcix (*Trupanea*).—Para.
quatourlineata Macquart, Dipt. Exot. i, 2, 102 (*Trupanea*).—Rio Negro.
substitutus Walker, Dipt. Saund. 119.—South America.
spissibarbis Macquart, Dipt. Exot. Suppl. i, 80 (*Trupanea*).—Chili.
trichonotus Wiedemann, Auss. Zw. Ins. i, 490, 97 (*Asilus*); Loew, Linn. Ent. iii, 407; Schiner, Verh. zool.-bot. Gesellsch. xvi, 689; xvii, 387; v. d. Wulp, Tijdschr. v. Ent. xxv, 108.
Wiedemanni Schiner, Verh. zool.-bot. Gesellsch. xvii, 388.—Brazil.

PROCTOPHORUS.

Schiner, Verh. zool.-bot. Gesellsch. xvi, 674, 1866.

connexus Wiedemann, Auss. Zw. Ins. i, 497 (*Asilus*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 689; E. Lynch A., Asil. Arg. 54.—Montevideo.
melaleucus Wiedemann, Auss. Zw. Ins. i, 498 (*Asilus*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 690.
pyrrhomystax Wiedemann, Auss. Zw. Ins. i, 497 (*Asilus*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 674, 690; xvii, 391.—Brazil.

ERAX.

Macquart, Dipt. Exot. i, 2, 107, 1838.

abdominalis Wiedemann, Dipt. Exot. i, 185 (*Asilus*); Auss. Zw. Ins. i, 432 (id.); Schiner, Verh. zool.-bot. Gesellsch. xvi, 683.—South America.
aestuans Wiedemann (non Linné), Dipt. Exot. i, 200 (*Asilus*); Auss. Zw. Ins. i, 467 (id.); Macquart, Dipt. Exot. i, 2, 115; Bigot, in La Sagra, Hist. etc., 791; Williston, Trans. Amer. Ent. Soc. xii, 72.—North America, Brazil. [Macquart.]

* *Sensu Trupaneae* Macq., i.e., *Alcima*, *Philodicus* et *Promachus*, s. str. *includentur*.

- auribarbis** Wiedemann, Dipt. Exot. i, 186 (*Asilus*) ; Auss. Zw. Ins. i, 437 (id.) ; Schiner, Verh. zool.-bot. Gesellsch. xvi, 683; v. d. Wulp, Tijdschr. v. Ent. xxv, 110.—Bahia.
- albescens** Schiner, Novara Exped. 180.—Chili.
- albispinosus** Macquart, Dipt. Exot. Suppl. iv, 84, pl. viii fig. 7.—South America.
- Amphissa** Walker, List, ii, 406.—Brazil.
- annulipes** Macquart, Dipt. Exot. Suppl. i, 83, pl. viii, fig. 8; Bigot, Ann. Soc. Ent. Fr. (3), v, 545 (*Pachychaeta*).—Brazil.
- Bardyllis** Walker, List, ii.—Brazil.
- Bellardi** Schiner, Novara Exped. 182.—South America.
Eristicus nigripes Bellardi, Saggio, i, 48 (preoc.).—Mexico.
- bilineatus** v. d. Wulp, Tijdschr. v. Ent. xxv, 115.—Argentina.
- bimaculatus** Bellardi, Saggio, ii, 45, pl. x, fig. 11; Schiner, Novara Exped. 182.—Mexico, Columbia.
- cellatus** Schiner, Novara Exped. 181.—South America.
- chiliensis** Macquart, Dipt. Exot. Suppl. iv, 85, pl. viii, fig. 5; Blanchard, Gay's Hist. Chile, vii, 369.—Chili, Bolivia.
- cinereus** Philippi, Verh. zool.-bot. Gesellsch. xv, 693.—Chili.
- commiles** Walker, Dipt. Saund. 132.—South America.
- copulatus** Wiedemann, Zool. Mag. iii, 48; Dipt. Exot. i, 192 (*Asilus*) ; Auss. Zw. Ins. i, 457 (id.) ; Schiner, Verh. zool.-bot. Gesellsch. xvii, 394.—Brazil.
- costatus** Schiner, Novara Exped. 181.—Colombia.
- culiciformis** Walker, List, vii, 632.—Brazil.
- demifasciatus** Macquart, Dipt. Exot. Suppl. i, 86.—Guiana.
- dilectus** Walker, List, vii, 632.—Brazil.
- flavianalis** Macquart, Dipt. Exot. Suppl. iii, 26, pl. ii, fig. 13; Bigot, Ann. Soc. Ent. Fr. 1855, 543 (*Eichoichemus*).—Brazil.
- flavidus** Macquart, Dipt. Exot. i, 2, 114; Walker, List, etc., vii, 625, 637; Schiner, Verh. zool.-bot. Gesellsch. xvi, 713; E. Lynch A., An. Soc. Cient. Arg. x, 119 (50).—Uruguay.
- flavofasciatus** Wiedemann, Auss. Zw. Ins. i, 470 (*Asilus*) ; Walker, List, ii, 400; v. d. Wulp, Tijdschr. v. Ent. xxv, 113.—Brazil, Honduras. [Walker.]
- fulvithorax** Macquart, Dipt. Exot. i, 2, 113.—Brazil, Guiana.
- fuscanipennis** Macquart, Dipt. Exot. Suppl. iv, 86.—Guiana.
- fuscipennis** Macquart, Dipt. Exot. Suppl. ii, 40.—Brazil.
- fuscus** Wiedemann, Auss. Zw. Ins. i, 465 (*Asilus*) ; Macquart, Dipt. Exot. i, 2, 112; Schiner, Verh. zool.-bot. Gesellsch. xvi, 686.—Brazil.
- griseus** Guerin, *Zool. Voy. de la Coquille, ii, 2 (*Asilus*) ; Blanchard, Gay's Hist. Chile, vii, 369, pl. v, fig. 2; Macquart, Dipt. Exot. i, 2, 115; Philippi, Verh. zool.-bot. Gesellsch. xv, 692; Schiner, Novara Exped. 182.—Chili.
- heteropterus** Macquart, Dipt. Exot. Suppl. i, 83, pl. viii, fig. 6; Schiner, Novara Exped. 182.—New Granada.
- hyalipennis** Macquart, Dipt. Exot. i, 2, 114.—Brazil.
- hyalinus** Macquart.
- impendens** Wiedemann, Auss. Zw. Ins. i, 587 (*Asilus*) ; Schiner, Verh. zool.-bot. Gesellsch. xvi, 690; Jaennicke, Abh. Senck. Gesellsch. vi, 366 (*Senoprosopis*).
- lapidophorus** Wiedemann, Auss. Zw. Ins. i, 459 (*Asilus*) ; Macquart, Dipt. Exot. i, 2, 110; Schiner, Verh. zool.-bot. Gesell. xvi, 686; v. d. Wulp, Tijdschr. v. Ent. xxv, 113.—Brazil.

- Lades** Walker, List, ii, 403 (*Asilus*); Schiner, Verh. zool.-bot. Gesellsch. xvii, 374.—Brazil.
- lascivus** Wiedemann, Auss. Zw. Ins. i, 474 (*Asilus*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 687; xvii, 394.—Brazil.
- Asilus amaryncus* Walker, List, ii, 400, vii, 637.—Honduras. [Walker, vii, 637.]
- leucopygus** Wiedemann, Auss. Zw. Ins. i, 586 (*Asilus*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 690.—Brazil.
- Asilus vestuans* Linné. [Schiner.]
- longiterebratus** Macquart, Dipt. Exot. Suppl. iv, 83, pl. viii, fig. 7; Schiner, Verh. zool.-bot. Gesellsch. xvi, 713; E. Lynch A., An. Soc. Cient. Arg. x, 120.—Argentina.
- maculatus** Macquart, Dipt. Exot. i, 2, 111, pl. ix, fig. 6; Schiner, Verh. zool.-bot. Gesellsch. xvii, 392; Osten Sacken, Biol. Centr.-Amer. 200.—United States, Mexico, Guatemala, Guadalupe, Columbia, Guyana, Brazil.
- E. lateralis* Macquart, Dipt. Exot. i, 2, 116; Williston, Trans. Amer. Ent. Soc. xii, 70. [Williston.]
- E. ambiguus* Macquart, Dipt. Exot. Suppl. i, 84. [Osten Sacken.]
- Asilus interruptus* Macquart, Hist. Nat. Dipt. i, 310. [Osten Sacken.]
- E. (Eristicus) villosus* Bellardi, Saggio, etc., ii, 49. [Osten Sacken.]
- macularius** Wiedemann, Dipt. Exot. i, 193 (*Asilus*); Auss. Zw. Ins. i, 447 (id.); Macquart, Dipt. Exot. i, 2, 147, pl. xii, fig. 5 (id.); Schiner, Verh. zool.-bot. Gesellsch. xvi, 684; Novara Exped. 180; v. d. Wulp, Tijdschr. v. Ent. xxv, 112.—Brazil.
- medianus** Wiedemann, Auss. Zw. Ins. i, 473 (*Asilus*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 687.—Brazil.
- mellinus** Wiedemann, Auss. Zw. Ins. i, 465 (*Asilus*); Walker, List, vi; Schiner, Verh. zool.-bot. Gesellsch. xvi, 686; xvii, 393; E. Lynch A., An. Soc. Cient. Arg. x, 119 (53).—Montevideo.
- minor** Macquart, Dipt. Exot. Suppl. ii, 41, pl. i. fig. 8.—Brazil.
- murinus** Philippi, Verh. zool.-bot. Gesellsch. xv, 694.—Chili.
- Mygdon** Walker, Dipt. Saund. 127.—South America.
- nigrinus** Wiedemann, Auss. Zw. Ins. i, 462 (*Asilus*); Dipt. Exot. i, 197 (id.); Schiner, Verh. zool.-bot. Gesellsch. xvi, 686.—Brazil.
- nigripes** Macquart, Dipt. Exot. Suppl. iv, 85, pl. viii, fig. 6.—Bolivia.
- notabilis** Macquart, Dipt. Exot. i, 2, 110.—America.
- obscurus** Macquart, Dipt. Exot. i, 2, 112.—Brazil.
- Parphorus** Walker, Dipt. Saund. 127.—Columbia.
- parvus** Walker, List, vii, 639.—Brazil.
- patagoniensis** Macquart, Dipt. Exot. Suppl. iv, 80; Schiner, Verh. zool.-bot. Gesellsch. xvi, 714; E. Lynch A., An. Soc. Cient. Arg. x, 111, 114 (48).—Patagonia, Argentina.
- perniger** Schiner, Novara Exped. 180.—Chili.
- pictipennis** Schiner, Novara Exped. 182.—South America.
- Potamon** Walker, Dipt. Saund. 128.—South America.
- pumilus** Macquart, Dipt. Exot. Suppl. iv, 85, pl. viii, fig. 9.—South America.
- pyrrhogonus** Wiedemann, Auss. Zw. Ins. i, 472 (*Asilus*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 687.—Brazil.
- rubidiventris** Macquart, Dipt. Exot. Suppl. iv, 84.—Brazil.

- rufinus** Wiedemann, Zool. Mag. iii, 47 (*Asilus*); Dipt. Exot. i, 189 (id.); Auss. Zw. Ins. i, 441 (id.); Schiner, Verh. zool.-bot. Gesellsch. xvi, 681; xvii, 393; v. d. Wulp, Notes from the Leyden Museum, iv, 78; Tijdschr. v. Ent. xxv, 113.—Brazil.
- rufipes** Macquart, Dipt. Exot. i, 2, 112.—Rio Janeiro.
- rufithorax** Macquart, Dipt. Exot. Suppl. i, 82.—Brazil.
- rufitibia** Macquart, Dipt. Exot. Suppl. iii, 27, pl. ii, fig. 11; Roeder, Stett. Ent. Zeit. 1885, 339.—Rio Negro (Macq.), St. Domingo (Walker), Porto Rico (Roeder).
- senilis** Wiedemann, Auss. Zw. Ins. i, 471 (*Asilus*); Schiner, Verh. zool.-bot. Gesellsch. xvi, 687; Walker, List, ii, 400; E. Lynch A., An. Soc. Cient. Arg. x, 110, 113 (47); v. d. Wulp, Tijdschr. v. Ent. xxv, 115.—Argentina, Montevideo.
- Sicyon** Walker, List, ii, 399.—Brazil.
- simplex** Macquart, Dipt. Exot. Suppl. iii, 27, pl. ii, fig. 14; Bigot, An. Soc. Cient. Arg. Ent. Fr. 1857, 545 (*Eicherax*).—Rio Negro.
- singularis** Macquart, Dipt. Exot. i, 2, 111, pl. ix, fig. 10; Walker, List, vii, 634; Schiner, Verh. zool.-bot. Gesellsch. xvi, 713; E. Lynch A., An. Soc. Cient. Arg. x, 110 (45).—Argentina, Brazil.
- Stimicon** Walker, Dipt. Saund. 129.—Colombia.
- striola** Fabricius, Syst. Antl. 172 (*Dasytopogon*); Wiedemann, Dipt. Exot. i, 199 (*Asilus*); Auss. Zw. Ins. i, 464 (id.); Schiner, Verh. zool.-bot. Gesellsch. xvi, 686, xvii, 392; Walker, List, vii, 625; Burmeister, Reise, etc., ii, 171 (*Eristicus*); E. Lynch A., An. Soc. Cient. Arg. x, 111, 117 (51).—Brazil, Argentina.
- stylatus** Fabricius, Syst. Ent. iv, 795 (*Asilus*); Ent. Syst. iv, 384 (id.); Syst. Antl. 171 (*Dasytopogon*); Wiedemann, Dipt. Exot. i, 198 (*Asilus*); Auss. Zw. Ins. i, 465 (id.); v. d. Wulp, Tijdschr. v. Ent. xxv, 112; Schiner, Verh. zool.-bot. Gesellsch. xvi, 686.—Rio Janeiro, Wisconsin. [Wulp.]
- subappendiculatus** Macquart, Dipt. Exot. i, 2, 114.—Brazil.
- tibialis** Macquart, Dipt. Exot. i, 2, 118.—Cayenne, St. Domingo, Pennsylvania.
- vicinus** Macquart, Dipt. Exot. Suppl. i, 85; Schiner, Novara Exped. 183.—South America, Texas.
- virillis** Wiedemann, Auss. Zw. Ins. i, 468 (*Asilus*); Macquart, Dipt. Exot. i, 2, 113; Schiner, Verh. zool.-bot. Gesellsch. xvi, 687.—Brazil.
- velox** Wiedemann, Auss. Zw. Ins. i, 468 (*Asilus*).—Pernambuco.
- Zellerstedtii** Jaennicke, Neue Exot. Dipt. 49 (362).—Venezuela.

PEDIOPHONEUS.

E. Lynch A., An. Soc. Cient. Arg. xv, 87, 1883.
(No species described or referred to the genus.)

PROCTACANTHUS.

Macquart, Dipt. Exot. i, 2, 120, 1838.

Acanthodelphia Bigot, An. Soc. Ent. Fr. (3) v, 545, 1857.

Antidomus Walker, List. ii, 408.—Brazil.

aurolineatus Macquart, Dipt. Exot. Suppl. i, 86, pl. viii, fig. 9.—New Granada.

basifascia Walker, List, vii, 654.—Brazil.

brevipennis Wiedemann, Auss. Zw. Ins. i, 431 (*Asilus*); v. d. Wulp, Tijdschr. v. Ent. xxv, 108.—United States, ? Argentina. [Wulp.]

- brevistylatus v. d. Wulp, Tijdschr. v. Ent. xxv, 111.—Argentina.
Coprates Walker, List, ii, 409.—Brazil.
cruentus E. Lynch A., An. Soc. Cient. Arg. ix, 264, sep. 42.—Misiones.
Daraps Walker, List, ii, 416 (*Asilus*) ; vii, 653.—Brazil.
flavipennis Macquart, Dipt. Exot. Suppl. i, 85.—Columbia.
Hagno Walker, List, ii, 417 (*Asilus*) ; vii, 653.—Brazil.
longus Wiedemann, Dipt. Exot. i, 183 (*Asilus*) ; Auss. Zw. Ins. i, 426 (id.) ; Macquart, Dipt. Exot. i, 2, 123 ; Walker, List, vii, 648 ; Schiner, Verh. zool.-bot. Gesellsch. xvii, 396.—North America, Brazil. [Macquart.]
leucopogon Wiedemann, Auss. Zw. Ins. i, 430 (*Asilus*) ; Schiner, Verh. zool.-bot. Gesellsch. xvi, 683 ; xvii, 395 ; E. Lynch A., Asil. Arg. 39.—Montevideo.
macrotelus Walker, Trans. Linn. Soc. xvii, 340 (*Asilus*) ; List, ii, 420 (id.) ; vii, 653 ; Schiner, Verh. zool.-bot. Gesellsch. xvi, 714 ; E. Lynch A., An. Soc. Cient. Arg. ix, 260 (39).—Uruguay.
mystaceus Macquart, Dipt. Exot. Suppl. i, 86.—New Granada.
rubicornis Macquart, Dipt. Exot. i, 2, 122.—Brazil.
rubriventris Macquart, Dipt. Exot. Suppl. iv, 87, pl. viii, fig. 3 ; Schiner, Verh. zool.-bot. Gesellsch. xvi, 714 ; E. Lynch A., An. Soc. Cient. Arg. ix, 259, sep. 37.—Brazil, Chili, Argentina, Buenos Aires, Montevideo.
Asilus (Proctacanthus) xanthopogon Burmeister, *Reise, etc., i, 317, ii, 171. [Lynch.]
Eanax speciosus Philippi, Verh. zool.-bot. Gesellsch. xv, 693, pl. xxvi, fig. 28.—Chili. [Lynch.]
senectus v. d. Wulp, Tijdschr. v. Ent. xxv, 110.—Argentina.
tibialis Macquart, Dipt. Exot. Suppl. iv, 88.—South America.
xanthopterus Wiedemann, Auss. Zw. Ins. i, 427 (*Asilus*) ; Schiner, Verh. zool.-bot. Gesellsch. xvi, 682.—Brazil.
vetustus Walker, Trans. Linn. Soc. xvii, 340 (*Asilus*) ; List, ii, 420 (id.) ; vii, 653 ; Schiner, Verh. zool.-bot. Gesellsch. xvi, 714 ; E. Lynch A., An. Soc. Cient. Arg. ix, 260 (38).—Uruguay.
vittatus E. Lynch A., An. Soc. Cient. Arg. ix, 261, sep. 39.—Misiones.

ECCRITOSIA.

Schiner, Verh. zool.-bot. Gesellsch. xvi, 674.

- barbatus** Fabricius, Entom. Syst. iv, 379 (*Asilus*) ; Syst. Antl. 155 (id.) ; Wiedemann, Dipt. Exot. i, 187 (id.) ; Auss. Zw. Ins. i, 439 (id.) ; Macquart, Dipt. Exot. i, 2, 122 (*Proctacanthus*) ; Schiner, Verh. zool.-bot. Gesellsch. xvi, 684 ; v. d. Wulp, Tijdschr. v. Ent. xxv, 112.—Guiana, Cayenne, Brazil.

THRENIA.

Schiner, Verh. zool.-bot. Gesellsch. xvi, 674, 1866.

- carbonaria** Wiedemann, Auss. Zw. Ins. i, 454 (*Asilus*) ; Schiner, Verh. zool.-bot. Gesellsch. xvi, 685 ; Novara Exped. 184, pl. ii, fig. 11.—Brazil.
longipennis Schiner, Novara Exped. 185.—South America.
lugens Schiner, Novara Exped. 185.—South America.

ANARMOSTUS.

Loew, Dipt. Südafrikas, 142, 1860.

iopterus Wiedemann, Auss. Zw. Ins. i, 438 (*Asilus*); Loew, Dipt. Südafrikas, 142; Schiner, Verh. zool.-bot. Gesellsch. xvi, 684; Osten Sacken, Biologia Centr.-Amer. 211.—Brazil, Honduras.

LOPHONOTUS.

Macquart, Dipt. Exot. i, 2, 125, 1838.

americanus Macquart, Dipt. Exot. Suppl. i, 87.—Brazil. [*Dysmachus?*]

DYSMACHUS.

Loew, Dipt. Südafrikas, 143, 1860.

Gayi Macquart, Dipt. Exot. i, 2, 148 (*Asilus*); Suppl. iv, 95; Blanchard, Gay's Hist. Chile, vii, 270, pl. ii, fig. 12 (id.); Philippi, xv, 695 (id.).—Chili.

GLAPHYROPYGA.

Schiner, Verh. zool.-bot. Gesellsch. xvi, 674, 1866.

himantocerus Wiedemann, Auss. Zw. Ins. i, 447 (*Asilus*); Schiner, Verh. zool.-bot. Gesellsch. xvi.—Brazil.

SENOPROSOPIS.

Macquart, Hist. Nat. Dipt. 1834; Dipt. Exot. i, 2, 130, 1838.

Brasiliensis Schiner, Verh. zool.-bot. Gesellsch. xvii, 404.—Brazil.

tenuis Wiedemann, Auss. Zw. Ins. i, 448 (*Asilus*); Schiner, Verh. zool.-bot. Gesellsch. xvi.—Brazil.

varipes Schiner, Verh. zool.-bot. Gesellsch. xvii, 405.—Brazil.

LECANIA.

Macquart, Dipt. Exot. i, 2, 131, 1838.

femorata Macquart, Dipt. Exot. i, 2, 132.—“Patric inconnue.”

rufipes Macquart, Dipt. Exot. i, 2, 130, pl. xi, fig. 2; Walker, List, vii, 761.—Brazil.

EPITRIPTUS.

Loew, Linn. Ent. iv, 108, 1849.

albisetosus v. d. Wulp, Tijdschr. v. Ent. xxv, 116.—Argentina.

ATRACTIA.

Macquart, Dipt. Exot. i, 2, 151, 1838.

coronata Schiner, Verh. zool.-bot. Gesellsch. xvii, 412.—Brazil.

psilogaster Wiedemann, Auss. Zw. Ins. i, 456 (*Asilus*); Schiner, Verh. zool.-bot. Gesellsch. xvii, 412; Macquart, Dipt. Exot. i, 2, 152.—Brazil.

pulverulenta Schiner, Verh. zool.-bot. Gesellsch. xvii, 412.—Brazil.

HELIGMONEURA.

Bigot, Thoms. Arc. Ent. ii, 352, 1858; *Mothernus* Loew, Linn. Ent. iv, 58, 1849 (preoc.); *Neomothernus* Osten Sacken, Cat. N. A. Dipt. 82, 1878.

rufipalpis Macquart, Dipt. Exot. i, 2, 146 (*Asilus*); Walker, List, vii, 705; E. Lynch A., An. Soc. Cient. Arg. x, 174, sep. 56 (*Mothernus*).—Uruguay, Montevideo, Buenos Aires, Brazil.

LEPTOHARPACTICUS.

E. Lynch A., An. Soc. Cient. Arg. x, 178, sep. 59, 1880.

Mucius Walker, List. ii, 463, vii, 707 (*Asilus*); E. Lynch A., An. Soc. Cient. Arg. x, 180, sep. 61.—Montevideo.

OMMATIUS.

Wiedemann, Auss. Zw. Ins. i, 418, 1828.

apicalis Schiner, Novara Exped. 194.—South America.

erythropus Schiner, Verh. zool.-bot. Gesellsch. xvii, 411.—South America.

holosericeus Schiner, Verh. zool.-bot. Gesellsch. xvii, 411.—Brazil.

marginellus Fabricius, Spec. Ins. ii, 464 (*Asilus*); Ent. Syst. iv, 384 (id.); Syst. Antl. 170 (*Dasyptogon*); Wiedemann, Dipt. Exot. i, 213; Anss. Zw. Ins. i, 431; Macquart, Hist. Nat. Dipt. i, 314; Dipt. Exot. i, 2, 134, pl. xi, fig. 4.—Brazil, Porto Rico. [Roeder, Stett. Ent. Zeit. 1885, 339.]

rufipes Macquart, Dipt. Exot. Suppl. i, 88.—Colombia.

scopifer Schiner, Novara Exped. 194.—Colombia.

ASILUS.

Linné, Fauna Suec. 308, 1746.

albibilosus Macquart, Dipt. Exot. Suppl. i, 92.—Brazil, Bogotia.

annularis Fabricius, Syst. Antl. 171 (*Dasyptogon*); Wiedemann, Dipt. Exot. i, 211; Auss. Zw. Ins. i, 491.—South America.

Antiphus Walker, List. ii, 443.—Brazil.

brachypterus Philippi, Verh. zool.-bot. Gesellsch. xv, 698.—Chili.

Baletus Walker, List. ii, 427.—Venezuela.

Calatinus Walker, List. ii, 436.—Brazil.

clavatus Macquart, Dipt. Exot. i, 2, 147, pl. xii, fig. 3.—Brazil.

cœruleiventris Macquart, Dipt. Exot. Suppl. i, 93.—Colombia.

Columbiæ Macquart, Dipt. Exot. i, 2, 148.—Columbia.

Ctesicles Walker, Dipt. Saund. 149.—South America.

cuyanus (*Entolmus*) E. Lynch A., An. Soc. Cient. Arg. x, 175.—Mendoza.

eritichus Philippi, Verh. zool.-bot. Gesellsch. xv, 698.—Chili.

eurylabis Wiedemann, Auss. Zw. Ins. i, 469.—Brazil. [*Erax?*]

Eupaor Walker, Dipt. Saund. 147.—Brazil.

Gavius Walker, Dipt. Saund. 151.—Brazil.

Gerion Walker, List. ii, 433.—Brazil.

Gamaxus Walker, Dipt. Saund. 142.—Colombia.

Hebes Walker, List. vii, 704.—Brazil.

Herdonius Walker, Dipt. Saund. 140.—South America.

Hilarii Macquart, Dipt. Exot. i, 2, 147.—Brazil.

Heydenii Wiedemann, Auss. Zw. Ins. i, 490.—Brazil.

imitator E. Lynch A., An. Soc. Cient. Arg. xvi, 79.—Argentina. ["Genus novum?"]

incomptus Philippi, Verh. zool.-bot. Gesellsch. xv, 697.—Chili.

Lebasii Macquart, Dipt. Exot. i, 2, 148; Suppl. i, 93.—Colombia.

Leonides Walker, Dipt. Saund. 150.—Rio de Janeiro.

longiusculus Walker, List. vii, 706.—Brazil.

luctuosus Macquart, Dipt. Exot. i, 2, 146.—Brazil.

Iutipes Wiedemann, Auss. Zw. Ins. i, 454.—Brazil.

Lycorius Walker, Dipt. Saund. 143.—South America.

- meastylus Philippi, Verh. zool.-bot. Gesellsch. xv, 697.—Chili.
 melanacrus Wiedemann, Auss. Zw. Ins. i, 472.—Brazil.
 mellipes Wiedemann, Auss. Zw. Ins. i, 452.—Brazil.
 mucidus Walker, Tr. Linn. Soc. xvii, 340.—Patagonia.
 nigrinus Macquart, Dipt. Exot. Suppl. iii, 30, pl. iii, fig. 5.—Brazil.
 nigriventris Philippi, Verh. zool.-bot. Gesellsch. xv, 696.—Chili.
nodicornis Wiedemann, Auss. Zw. Ins. i, 469; Bigot, An. Soc. Ent. Fr. (3) v, 532, 543 (*Cerozodus*).—Brazil. [*Eanax*?]
occidentalis Philippi, Verh. zool.-bot. Gesellsch. xv, 696.—Chili.
Peticus Walker, List. ii, 434.—Brazil.
pœcilosopus Philippi, Verh. zool.-bot. Gesellsch. xv, 697.—Chili.
sericans Walker, Trans. Entom. Soc. iv, 129.—Amazon.
Servillea Macquart, Hist. Nat. Dipt. i, 313.—Brazil.
sexmaculatus Walker, List. vii, 707.—Brazil.
Saulcyi Macquart, Dipt. Exot. i, 2, 150.—San Lorenzo Isles.
spectabilis Philippi, Verh. zool.-bot. Gesellsch. xv, 695.—Chili.
Tatius Walker, Dipt. Saund. 148.—Colombia.
tenuiventris Macquart, Dipt. Exot. Suppl. v, 66.—South America.
Therimachus Walker, Dipt. Saund. 137.—Brazil.
tristis Wiedemann, Auss. Zw. Ins. i, 470.—Brazil. [*Eanax*?]
valdivianus Philippi, Verh. zool.-bot. Gesellsch. xv, 696.—Chili.
consanguineus Macquart, Dipt. Exot. Suppl. i, 93.—Cayenne.

- Acanthodelphia*, see *Proctacanthus*.
Alcima, see *Promachus*.
Archilestes, see *Archilestris*.
Ampyx, see *Doryclus*.
Cacodæmon, see *Prolepsis*.
Ceratotænia, see *Cerotainia*.
Chærades, see *Laphria*.
Clavator, see *Hypenetes*.
Cormansis, see *A omosia*.
Cylindrophora, see *Theromyia*.
Discocephala, see *Holocephala*.
Diogmites, see *Deromyia*.
Euthrix, see *Scylaticus*.
Gastrichelius, see *Triclis*.
Gonypes, see *Leptogaster*.
Laparus, see *Neolaparus*.
Lochites, see *Senobasis*.
Lynchia, see *Theromyia*.
Macronymx, see *Dicranus*.
Moctherus, see *Heligmoneura*.
Morimna, see *Listaurus*.
Neomoctherus, see *Heligmoneura*.
Phoneus, see *Neophoneus*.
Planetolestes, see *Blepharepium*.
Pseudarchilestes, see *Archilestris*.
Trupanea, see *Promachus*.